

PASTING MUCKENHOUPHT WEIGHTS THROUGH A CONTACT POINT BETWEEN SETS OF DIFFERENT DIMENSIONS

HUGO AIMAR, BIBIANA IAFFEI, AND LILIANA NITTI

ABSTRACT. In this work we extend the result in [2] to the spaces of homogeneous type built in [1] starting from two sets of different dimensions with a unique point of contact.

REFERENCES

- [1] Hugo Aimar and Liliana Nitti. Separation and contact of sets of different dimensions in a doubling environment. *Publ. Math. Debrecen*, 74(3-4):351–368, 2009.
- [2] Bernd S. W. Schröder. On pasting A_p -weights. *Proc. Amer. Math. Soc.*, 124(11):3339–3344, 1996.

DEPARTAMENTO DE MATEMÁTICA (FIQ-UNL), IMAL-CONICET, SANTA FE, ARGENTINA
E-mail address: `haimar@santafe-conicet.gov.ar`

DEPARTAMENTO DE MATEMÁTICA (FHUC-UNL), IMAL-CONICET, SANTA FE, ARGENTINA
E-mail address: `biaffei@santafe-conicet.gov.ar`

DEPARTAMENTO DE MATEMÁTICA (FHUC-UNL), IMAL-CONICET, SANTA FE, ARGENTINA
E-mail address: `rnitti@fhuc.unl.edu.ar`

2000 *Mathematics Subject Classification.* Primary 26D07, 28A25.

The authors were supported in part by CONICET, CAI+D(UNL) and ANCPyT..